



An Independent Licensee of the Blue Cross Blue Shield Association

PHARMACY COVERAGE GUIDELINES
SECTION: DRUGS

ORIGINAL EFFECTIVE DATE: 3/17/2016
LAST REVIEW DATE: 2/18/2021
LAST CRITERIA REVISION DATE: 2/18/2021
ARCHIVE DATE:

TEMODAR® (temozolomide) oral capsule Temozolomide oral capsule

Coverage for services, procedures, medical devices and drugs are dependent upon benefit eligibility as outlined in the member's specific benefit plan. This Pharmacy Coverage Guideline must be read in its entirety to determine coverage eligibility, if any.

This Pharmacy Coverage Guideline provides information related to coverage determinations only and does not imply that a service or treatment is clinically appropriate or inappropriate. The provider and the member are responsible for all decisions regarding the appropriateness of care. Providers should provide BCBSAZ complete medical rationale when requesting any exceptions to these guidelines.

The section identified as "Description" defines or describes a service, procedure, medical device or drug and is in no way intended as a statement of medical necessity and/or coverage.

The section identified as "Criteria" defines criteria to determine whether a service, procedure, medical device or drug is considered medically necessary or experimental or investigational.

State or federal mandates, e.g., FEP program, may dictate that any drug, device or biological product approved by the U.S. Food and Drug Administration (FDA) may not be considered experimental or investigational and thus the drug, device or biological product may be assessed only on the basis of medical necessity.

Pharmacy Coverage Guidelines are subject to change as new information becomes available.

For purposes of this Pharmacy Coverage Guideline, the terms "experimental" and "investigational" are considered to be interchangeable.

BLUE CROSS®, BLUE SHIELD® and the Cross and Shield Symbols are registered service marks of the Blue Cross and Blue Shield Association, an association of independent Blue Cross and Blue Shield Plans. All other trademarks and service marks contained in this guideline are the property of their respective owners, which are not affiliated with BCBSAZ.

This Pharmacy Coverage Guideline does not apply to FEP or other states' Blues Plans.

Information about medications that require precertification is available at www.azblue.com/pharmacy.

Some large (100+) benefit plan groups may customize certain benefits, including adding or deleting precertification requirements.

All applicable benefit plan provisions apply, e.g., waiting periods, limitations, exclusions, waivers and benefit maximums.

Precertification for medication(s) or product(s) indicated in this guideline requires completion of the [request form](#) in its entirety with the chart notes as documentation. **All requested data must be provided.** Once completed the form must be signed by the prescribing provider and faxed back to BCBSAZ Pharmacy Management at (602) 864-3126 or emailed to Pharmacyprecert@azblue.com. **Incomplete forms or forms without the chart notes will be returned.**



An Independent Licensee of the Blue Cross Blue Shield Association

PHARMACY COVERAGE GUIDELINES
SECTION: DRUGS

ORIGINAL EFFECTIVE DATE: 3/17/2016
LAST REVIEW DATE: 2/18/2021
LAST CRITERIA REVISION DATE: 2/18/2021
ARCHIVE DATE:

TEMODAR® (temozolomide) oral capsule Temozolomide oral capsule

Criteria:

- **Criteria for initial therapy:** Temodar (temozolomide) and generic temozolomide is considered *medically necessary* and will be approved when **ALL** of the following criteria are met:
1. Prescriber is a physician specializing in the patient's diagnosis or is in consultation with an Oncologist
 2. Individual is 18 years of age or older
 3. A confirmed diagnosis of **ONE** of the following:
 - a. Newly diagnosed glioblastoma used concomitantly with radiotherapy and then as maintenance treatment
 - b. Refractory anaplastic astrocytoma who have experienced disease progression on a drug regimen containing nitrosourea and procarbazine
 - c. Other request for a specific oncologic direct treatment use that is found and listed in the National Comprehensive Cancer Network (NCCN) Guidelines with Categories of Evidence and Consensus of 1 and 2A
 4. **ALL** of the following baseline tests have been completed before initiation of treatment:
 - a. Complete blood count (CBC) with differential
 - b. Liver function tests
 5. There are **NO** contraindications:
 - a. Contraindications include:
 - i. Patients who have a history of hypersensitivity to dacarbazine (DTIC)

Initial approval duration: 6 months

- **Criteria for continuation of coverage (renewal request):** Temodar (temozolomide) and generic temozolomide is considered *medically necessary* and will be approved when **ALL** of the following criteria are met:
1. Individual continues to be seen by a physician specializing in the patient's diagnosis or is in consultation with an Oncologist
 2. Individual's condition has not worsened while on therapy
 3. Individual has been adherent with the medication
 4. Individual has not developed any contraindications or other significant level 4 adverse drug effects that may exclude continued use
 - a. Contraindications as listed in the criteria for initial therapy section



An Independent Licensee of the Blue Cross Blue Shield Association

PHARMACY COVERAGE GUIDELINES
SECTION: DRUGS

ORIGINAL EFFECTIVE DATE: 3/17/2016
LAST REVIEW DATE: 2/18/2021
LAST CRITERIA REVISION DATE: 2/18/2021
ARCHIVE DATE:

TEMODAR® (temozolomide) oral capsule Temozolomide oral capsule

- b. Significant adverse effect such as:
 - i. Neutropenia or thrombocytopenia
 - ii. Hepatotoxicity

- 5. There are no significant interacting drugs

Renewal duration: 6 months

Description:

Temodar (temozolomide) is indicated for the treatment of adult patients with newly diagnosed glioblastoma multiforme used concomitantly with radiotherapy and then as maintenance treatment and for the treatment of adult patients with refractory anaplastic astrocytoma in patients who have experienced disease progression on a drug regimen containing nitrosourea and procarbazine.

Temozolomide is not directly active but spontaneously undergoes rapid non-enzymatic conversion at physiologic pH to the reactive compound 5-(3-methyltriazene-1-yl)-imidazole-4-carboxamide (MTIC). MTIC is further hydrolyzed to 5-amino-imidazole-4-carboxamide (AIC), which is known to be an intermediate in purine and nucleic acid biosynthesis, and to methylhydrazine, which is believed to be the active alkylating species. Cytotoxicity is thought to be primarily due to alkylation of DNA. Alkylation (methylation) occurs mainly at the O⁶ and N⁷ positions of guanine.

Resources:

Temodar (temozolomide) product information, revised by Merck Sharp & Dohme Corp. 11-2019, at DailyMed <http://dailymed.nlm.nih.gov>. Accessed January 31, 2021.

Temozolomide product information, revised by Accord Healthcare, Inc. 03-2020, at DailyMed <http://dailymed.nlm.nih.gov>. Accessed January 31, 2021.

Temodar (temozolomide). National Comprehensive Cancer Network (NCCN). NCCN Drugs & Biologics Compendium. 2021; Available at: <http://www.nccn.org>. Accessed January 31, 2021.

Off Label Use of Cancer Medications: A.R.S. §§ 20-826(R) & (S). Subscription contracts; definitions.

Off Label Use of Cancer Medications: A.R.S. §§ 20-1057(V) & (W). Evidence of coverage by health care service organizations; renewability; definitions.
